

## Oliver Meek

---

**From:** Tony.Almond@hse.gov.uk  
**Sent:** 05 July 2016 13:33  
**To:** Oliver Meek  
**Cc:** Trevor.Sexty@hse.gov.uk  
**Subject:** RE: Planning application for an exploratory shale gas well site – land off the A634 between Barnby Moor and Blyth

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged



Dear Oliver,

Thank you for your email. The HSE response is below.

Please do not hesitate to contact me should you need anything further.

Kind Regards

Tony

### Shale oil and gas wells

Wells drilled to explore for shale oil or gas are designed and constructed to the same standards as conventional oil and gas wells that have been in operation in UK for a number of years. There have been 350 onshore oil and gas wells drilled in the UK since 2000.

All wells must be constructed to recognised industry standards and are cased using steel and cement to ensure the risk of an unplanned leak of fluids is as low as reasonably practicable. Near the surface, where there is nearby groundwater, or an aquifer, there are normally three layers of this steel casing. The operator will conduct a range of checks on the well to test for leaks. Suitable well control equipment must also be provided to protect against the risk of a release of fluids from the well.

### Health and safety regulations applicable to onshore wells

HSE's regulatory regime is long-established and goal-setting. There are general duties under the Health and Safety at Work etc Act 1974 (HSWA). Those who create health and safety risks to workers or the public as part of their undertaking have a duty to manage and control the risks so far as is reasonably practicable. This is supplemented with more specific regulations particular to the extraction of gas and oil through wells, which includes shale gas and oil operations.

The Borehole Sites and Operations Regulations 1995 (BSOR) apply to all onshore oil and gas wells. These Regulations require notifications to be sent to HSE about the design, construction and operation of wells, and the development of a health and safety plan which sets out how risks are managed on site.

The Offshore Installations and Wells (Design and Construction etc) Regulations 1996 (DCR) include specific requirements for all wells, whether onshore or offshore, and include well integrity provisions which apply throughout the life of shale gas or oil wells. They also require the well operator to send a weekly report to HSE during the construction of the well so that inspectors can check that work is progressing as described in the notification.

The operator must also appoint an independent well examiner who has an important quality control role in ensuring that the well is designed, constructed operated and abandoned to industry and company standards and that regulatory requirements are met.

This combination of duties ensures that HSE is provided with information at key stages in the lifecycle of a well and allows HSE inspectors to assess whether risks are being adequately controlled and, if not, to take the appropriate regulatory action.

### **How HSE regulates shale gas activity**

HSE's intervention approach has two main elements:

1. Specialist well engineers help develop best practice standards for the industry as a whole with the United Kingdom Onshore Operators Group (UKOOG). All members of UKOOG have agreed to comply with these standards. The latest standards <http://www.ukoog.org.uk/onshore-extraction/industry-guidelines> were published in February 2013.
2. The second element is to use risk-based interventions on particular sites and operators and ensuring well integrity. HSE uses its team of expert wells engineers who cover all types of hydrocarbon wells, both on and offshore. An oil or gas well is a complex engineered construction, most of which is below ground and not accessible to visual inspection. HSE therefore takes a lifecycle approach to well integrity, using the notifications and weekly well reports as well as meetings with the operator and on-site inspection to ensure the operator is managing the risks appropriately.

### **What information is provided to HSE and when?**

To comply with BSOR, the well operator must submit a notification to HSE at least 21 days before work commences. It consists of information on the design and construction of the well including:

- the design of the well,
- equipment to be used,
- programme of work,
- location, depth and direction of the borehole,
- its relationship with other wells and mines,
- the geology of the drilling site,
- risks identified with the work and how these risks will be managed.

These notifications allow HSE to assess the well design before construction starts. This is a key phase of work where the vast majority of issues likely to have an impact on well integrity will be identified and addressed by the well operator. It includes ensuring that safety features are incorporated into the design. Inspectors will contact the operator if they have any concerns or queries about the information supplied.

Further notifications are required if there is a material change to the information previously supplied in a notification.

To comply with DCR, the operator must report to HSE every week during construction of the well and during work to abandon the well. This provides HSE with assurance that the operator is constructing and operating the well as described in the notification. If they are not, HSE can take the appropriate regulatory action. The weekly report gives details of all work that has taken place since the previous report including:

- well integrity tests,
- the depth and diameter of the borehole,
- the depth and diameter of the well casing,
- details of the drill fluid density which allows the inspector to gauge the pressure in the well and identify any stability issues.

There is also a specific set of occurrences that the well operator must report to HSE under RIDDOR (Reporting of Injuries, Diseases and Dangerous Occurrences Regulations):

- a blowout, ie an uncontrolled flow of well fluids,
- the unplanned use of blowout prevention equipment,

- the unexpected detection of H2S (hydrogen sulphide – an explosive gas),
- failure to maintain minimum separation distance between wells,
- mechanical failure of any safety-critical element of a well.

Reporting of well incidents enables HSE to investigate those that would have an effect on well integrity and ensures the well operator secures improvements to their operations.

### **Working with the Environment Agency**

HSE has had an agreement with the Environment Agency (EA) since 2012 covering joint regulation of shale gas operations:

[www.hse.gov.uk/aboutus/howwework/framework/aa/hse-ea-oil-gas-nov12.pdf](http://www.hse.gov.uk/aboutus/howwework/framework/aa/hse-ea-oil-gas-nov12.pdf)

HSE and EA inspectors will:

- meet all new and first-time operators of shale gas wells to advise them of their duties under the relevant regulations,
- jointly visit all shale gas sites during the current exploratory phase of shale gas development.

Tony Almond  
Energy Division: Policy  
Regulation Directorate  
Health and Safety Executive

Tel 0151 951 3308  
Mob 07824 127792

---

**From:** Oliver Meek [mailto:[oliver.meek@nottsc.gov.uk](mailto:oliver.meek@nottsc.gov.uk)]

**Sent:** 01 July 2016 14:35

**Subject:** Planning application for an exploratory shale gas well site – land off the A634 between Barnby Moor and Blyth

Dear all

**Planning application for an exploratory shale gas well site – land off the A634 between Barnby Moor and Blyth**  
**Ref: ES/3524**

I write with regard to the above planning application submitted to Nottinghamshire County Council, on which you have been consulted.

I am writing as Nottinghamshire County Council has not received a consultation response from you. The initial consultation period (until the 22<sup>nd</sup> June 2016) has now passed. As such, I ask that any consultation responses are provided as soon as possible. For your benefit a link to the planning application is available below:

<http://www.nottinghamshire.gov.uk/planningsearch/plandisp.aspx?AppNo=ES/3524>

Should you wish to discuss the application please do not hesitate to contact me.

Kind regards

Oliver Meek  
Principal Planning Officer  
Nottinghamshire County Council

0115 993 2583

---

The following message has been applied automatically, to promote news and information from Nottinghamshire County Council about events and services:

Shout up! Join the Citizens' Panel and give your views on what matters to you. Join by 17 July for a chance to win Notts Cricket tickets. Find out more and sign up at [www.nottinghamshire.gov.uk/citizenspanel](http://www.nottinghamshire.gov.uk/citizenspanel)

---

---

Emails and any attachments from Nottinghamshire County Council are confidential. If you are not the intended recipient, please notify the sender immediately by replying to the email, and then delete it without making copies or using it in any other way. Senders and recipients of email should be aware that, under the Data Protection Act 1998 and the Freedom of Information Act 2000, the contents may have to be disclosed in response to a request.

Although any attachments to the message will have been checked for viruses before transmission, you are urged to carry out your own virus check before opening attachments, since the County Council accepts no responsibility for loss or damage caused by software viruses.

Nottinghamshire County Council Legal Disclaimer.

---

---

This email has been scanned by the Symantec Email Security.cloud service.  
For more information please visit <http://www.symanteccloud.com>

---

\*\*\*\*\*

Please note : Incoming and outgoing email messages are routinely monitored for compliance with our policy on the use of electronic communications and may be automatically logged, monitored and / or recorded for lawful purposes by the GSI service provider.

Interested in Occupational Health and Safety information?

Please visit the HSE website at the following address to keep yourself up to date

[www.hse.gov.uk](http://www.hse.gov.uk)

\*\*\*\*\*